



## Children's Claritin Bubblegum Chewable Tablets

### Drug Facts

<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Loratadine 5 mg.....	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

### Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- phenylketonurics: contains phenylalanine 1.9 mg per tablet
- safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn
- store between 20° to 25°C (68° to 77°F)

### Inactive ingredients

aspartame, carmine, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions or comments?

1-800-CLARITIN (1-800-252-7484) or [www.claritin.com](http://www.claritin.com)